












-  Planers /Moulders
-  Ripsaws
-  Band Resaws
-  Scanner Systems
-  Crosscut Saws
-  Finger Jointing Lines
-  Tool Grinders/Tooling
-  Edgebanders
-  CNC Machining Centres
-  Horizontal Beam Saws
-  Vertical Panel Saw

Used machine available from Weinig UK
 Stock reference
WUK1383

Machine model:	Unimat 500-017 5 head moulder	Serial number E. number	109.322
Availability:	Short term	Year of Manu:	2007
Warranty offered:	6 months parts		
Condition of sale:	Serviced and function checked		
Installation:	Not included		
SALES PRICE: £29,950.00 + vat (subject to prior sale includes standard vehicle delivery to site UK mainland)			

Moulder head sequence				
1	2	3	4	5
Bottom	Right	Left	Top	Bottom
7.5 hp	Joint 10 hp		15 hp	7.5 hp





















Michael Weinig (UK) Limited


5 Blacklands Way, Abingdon Business Park, Abingdon, Oxon OX14 1DY. Tel: (01235) 557600. Website: www.weinig.com
 Sales and Accounts: Email: sales@weinig.co.uk. Servicing and Spares: Email: service@weinig.co.uk

Co. Reg. No. 1617754. Registered Office Address: 5 Blacklands Way, Abingdon Business Park, Abingdon, Oxon OX14 1DY.
 Vat Reg. No. GB 348 5661 25.

Outline specification

-  Unimat 500-017 5 head moulder
-  Working width 20 – 260 mm
-  Working height 8 – 120 mm
-  All spindles 40 mm diameter and 6,000 rpm
-  2.5 m straightening table
-  Switch controlled system for straightening
-  Radial CNC positioning to left and top spindles
-  CNC controlled positioning of feedbeam
-  Pressure shoe in front of and guide after top spindle with electronic displays integrated into Memory System
-  Feedspeed 5 – 30 m/min with 5.5 hp motor
-  Feed roller in front of 1st bottom pneumatically moved up/down
-  Manual Waxillit pump
-  Driven rubber roller in outfeed table
-  Memory system
-  Central lubrication
-  CE certificate
-  Interior lights to enclosure

-  Inclusive of standard delivery to site mainland UK

-  Set of CentroLock quick clamp blocks supplied with machine





